

Content

List of Figures	ii
List of Tables	v
Hypothesis	1
1. Introduction	2
1.1 DEFINITION OF VIRTUAL REALITY.....	2
1.1.1 <i>Immersive VR</i>	4
1.1.2 <i>Telepresence</i>	6
1.1.3 <i>Augmented Reality</i>	8
1.2 VR APPLICATIONS FOR MODELING PURPOSES	9
1.3 MOTIVATION FOR THE VR COMPOSER.....	9
2. Literature Search	11
2.1 CONCEPTS ABOUT VIRTUAL REALITY.....	11
2.2 VIRTUAL REALITY APPLICATIONS	13
2.2.1 <i>Virtual Reality CAD System</i>	13
2.2.2 <i>Simulation and Visualization</i>	15
2.2.3 <i>Training</i>	16
2.2.4 <i>Entertainment</i>	17
2.3 SUMMARY	18
3. Development of the Composer	20
3.1 SETUP OF THE VR SYSTEM	20
3.2 FAMILIARIZE WITH THE VR SYSTEM	20
3.2.1 <i>Lo Pan Temple</i>	20
3.2.2 <i>Partial Model of the New Airport</i>	26
3.2.3 <i>Queen's College</i>	27
3.3 FUNCTIONS PROVIDED BY THE COMMERCIAL VIRTUAL REALITY SYSTEM	30
4. VR Composer	34
4.1 PRIMITIVE OBJECT CREATION.....	34
4.2 PRECISE TRANSLATION, ROTATION AND SCALING	36
4.3 COLOR MODIFICATION	38
4.4 HINGE CONSTRAINT SETTING	39
4.5 STUB SETTING	41
4.6 GLUING OF OBJECTS	41
4.7 DISPLAY COORDINATES.....	44
4.8 OBJECT INQUIRY FROM DATABASE.....	45
5. Result and Summary	48
5.1 TEST SCENARIO	48
5.2 DATA	49
5.3 COMMENT FROM SUBJECTS	50
5.4 SUMMARY.....	51
5.5 FUTURE DEVELOPMENT	52
6. Conclusion	56
7. Reference	59
8. Appendix A	63

List of Figures

Figure 1 Virtual Wind Tunnel, an immersive virtual reality system	5
Figure 2 A Head-Mounted Display used in immersive virtual reality system	5
Figure 3 Stereoscopic view of the Lopan Temple, Hong Kong.	6
Figure 4 The Greenman, a telepresence system developed by US Navy	6
Figure 5 Basic telepresence system	7
Figure 6 Basic Augmented Reality system	8
Figure 7 Lo Pan Temple in AutoCAD	21
Figure 8 Lo Pan Temple in VR, first time	22
Figure 9 Plane mapping and Axial mapping	23
Figure 10 Hinge Constraint and normal rotation	24
Figure 11 Lo Pan Temple, outside	25
Figure 12 Lo Pan Temple, inside	25
Figure 13 A scene of the new airport VR model	27
Figure 14 LOD in action. Note the part of the pictures inside the circle	29
Figure 15 LOD in action. Note the part of the pictures inside the circle	29
Figure 16 Queen's College outside view	30
Figure 17 The Create 3D primitive toolbox is activated	35
Figure 18 The number of side and height of object is set	35
Figure 19 A cone object is chosen	36
Figure 20 A cone object is created	36
Figure 21 Two objects are in view.....	37
Figure 22 The Scale Toolbox is activated	37
Figure 23 The cone object is selected	37
Figure 24 The cone object is scaled to half in three principal directions	37
Figure 25 The cone object is scaled	37
Figure 26 The Move Toolbox is activated	37
Figure 27 The cone object is moved	38
Figure 28 The final view.....	38

Figure 29 A chair (color to be modified) is in view	38
Figure 30 The Color Toolbox is activated	38
Figure 31 The second default color is being selected for part of the chair	38
Figure 32 The second default color is being selected for part of the chair	38
Figure 33 The chair with its color modified	39
Figure 34 The effect of different Min and Max settings for hinge constraint	40
Figure 35 A house with a door	40
Figure 36 The door is rotated about its centre, not its vertical edge	40
Figure 37 The Hinge Constraint Toolbox is activated	40
Figure 38 The door is selected. A hinge constraint on y-axis is set with minimum = -90° and maximum = 0°	40
Figure 39 The door is swung “correctly”	41
Figure 40 The Stub Toolbox is activated	42
Figure 41 A unit cube of 0.05m is set	42
Figure 42 A teapot is selected	42
Figure 43 The teapot is moved to (1.16, 0.359, 0.427)	42
Figure 44 After the teapot is dropped, it is picked again and it is at (1.15, 0.35, 0.4)	42
Figure 45 The chair is being assembled	43
Figure 46 All components of the chair are in position	43
Figure 47 The Glue Toolbox is activated	43
Figure 48 The components of the chair are being selected for the gluing operation	43
Figure 49 After the gluing operation, the whole chair is translated and rotated even if one of its components is picked	43
Figure 50 The Display Position Toolbox	44
Figure 51 The coordinates of body are at upper right corner	44
Figure 52 The teapot is being picked up	45
Figure 53 The display now shows the coordinates of the teapot	45
Figure 54 The teapot is moved to its final position	45
Figure 55 The “Get Object” Toolbox	46
Figure 56 The “Search Object by Attribute” Toolbox	47
Figure 57 The test scenario diagram	48

Figure 58 Sectioning an object	54
Figure 59 Boolean operations on objects	54

List of Tables

Table 1 Objects and the constraints applied	24
Table 2 Primitive objects and their default size	35
Table 3 The choice of fixtures and the total time used for the test	49
Table 4 The time used for rest and the percentage of rest time to total modeling time ...	50